


Plastic Limit Test

BS 112

ASTM D.4318 / AASHTO T.90



BS 112.1



BS 112.2



BG 017/1



BG 018/3



BG 029/2



BG 047/1



BS 048/1



Plastic Limit Test

The plastic limit is defined as the lowest moisture content of soil that will permit a sample to be rolled into threads 3 mm diameter without the threads breaking.

Type	Parts Name	Specification	Qty
BS 112.1	Glass Plate	Glass, 10 mm thick, 30 x 30 cm	1 Set
BS 112.2	Reference Rod	Wire steel rod 3.2 mm dia	1 Pc
BG 017/1	Thin Box	Aluminium 60 gr capacity	12 Pcs
BG 018/3	Graduated Cylinder	100 ml capacity	1 Pc
BG 029/2	Evaporating Dish	12 cm dia, 250 ml capacity	1 Pc
BG 047/1	Spatulla	150 mm blade	1 Pc
BG 048/1	Scraper	100 mm blade	1 Pc

Supplied without :

BS.110	Moisture Content Test set
BA.206.31	Sieve no 40
BA.206.46	Pan & Cover
BG.031/3	Wash Bottle 500ml