



Pundit Ultrasonic

PD8050

Consolidated power in a single device for structural imaging, object and defect detection with ultrasound pulse echo



Efficiency

Have the power of the Pundit 200 PE, Pundit 250 Array and PD8000 with a single device. Enhanced wireless inspections with on-site, 2D, heatmap and high-resolution 3D imaging



Innovation

Experience the lightest, yet most intelligent pulse echo structural imaging device available on the market. Powered by ever-evolving software with Al and AR, to expand your inspection capabilities



Productivity

Unbeatable productivity ensured by Al assisted positioning and data interpretation, real-time feedback of probe controls, immediate data visualization and easy report creation



Software / Workspace App



Processing Unit / Sensor

Display Unit Workspace Integration	Any compatible Apple® iPad (iOS 11.0 and higher)¹ App synchronization Share via URL Automatic logbook Raw data export HTML export Instant report generation	Applications	Void and delamination detection Bonding assessment Thickness measurement Honeycombing detection Fiber concrete
			Concrete hit prevention Imaging of closely spaced rebars
		Transducer Bandwidth	20 - 80 kHz
Special Features Display Unit Specs ² :	High definition focus view Macro view – variable frequency and voltage Wide panoramic B-scan Augmented Reality 3D view Al-assisted positioning Al-assisted feature interpretation Image stabilizer Screen size: From 7.9" to 12.9" Resolution: Up to 2732-by-2048 Memory: Up to 2TB Weight: Down to 301 g / 10.6 oz Camera: Up to 12MP Wide and 10MP Ultra Wide Optional: USB-C, 5G, Face ID	Technology	Multi-channel Ultrasonic Pulse Echo
		Measuring Resolution	0.1 us
		Pulse voltage	±50 to ±150 V (UPE)
		Receiver Gain	1 to 10'000 (0 to 80 dB)
		Measurement Modes	Line scan Stripe Scan Grid Scan (Coming soon)
		Measuring Range	Up to 2 m / 6.6 ft depending on concrete quality
		Review modes	A-scan (incl. envelope) B-scan (Line view) C-scan (Time-Slice view) Heat map (depth)
Display Unit Sensors ³ :	LiDAR Scanner (optional) Three-axis gyro Accelerometer Ambient light sensor Barometer Built-in GPS/GNSS		Heat map (pulse velocity)
		Battery	Battery pack, 6x AA (NiMH), flight-safe
		Connections	Encrypted Wi-Fi connection to Apple® iOS tablet USB port for Wi-Fi module USB-C for Wi-Fi restricted areas



SWISS MADE

Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.

www.screeningeagle.com

Request a quote

